

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/719,924	11/21/2003	Marc M. Baum	1142-P0001	3349
36067 DALINA LAX	7590 04/21/200 V GROUP, P.C.	EXAMINER		
7910 IVANHOE AVE. #325			KURTZ, BENJAMIN M	
LA JOLLA, CA 92037			ART UNIT	PAPER NUMBER
			1797	
			MAIL DATE	DELIVERY MODE
			04/21/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Interview Summary

 Application No.
 Applicant(s)

 10/719,924
 BAUM ET AL.

 Examiner
 Art Unit

 BENJAMIN KURTZ
 1797

All participants (applicant, applicant's representative, PTC	personnel):
(1) <u>BENJAMIN KURTZ</u> .	(3) <u>Joseph Mayo</u> .
(2) Cynthia Casby.	(4)
Date of Interview: 16 April 2008.	
Type: a)⊠ Telephonic b)□ Video Conference c)□ Personal [copy given to: 1)□ applicant	2) applicant's representative]
Exhibit shown or demonstration conducted: d) Yes If Yes, brief description:	e)⊠ No.
Claim(s) discussed: 21.	
Identification of prior art discussed: Ghalib US 6 503 404	and Putz et al. US 5 980 736.
Agreement with respect to the claims f) \square was reached.	g)⊠ was not reached. h)□ N/A.
being inline to the inlet of the storm water management in	possible amendment to the claim stating the dispenser unit frastructure. Also a possible limitation to the control ed prior art. Applicants proposed sending a set of proposed
(A fuller description, if necessary, and a copy of the amer allowable, if available, must be attached. Also, where no allowable is available, a summary thereof must be attached.	
GIVEN A NON-EXTENDABLE PERIOD OF THE LONGER	le last Office action has already been filed, APPLICANT IS R OF ONE MONTH OR THIRTY DAYS FROM THIS TERVIEW SUMMARY FORM, WHICHEVER IS LATER, TO
	/Krishnan S Menon/ Primary Examiner, Art Unit 1797
Examiner Note: You must sign this form unless it is an Attachment to a signed Office action.	Examiner's signature, if required